



NEWS RELEASE

For Immediate Release

December 23, 2022
For Immediate Release
Incident No. 22-9499

CONTACT: Battalion Chief
Phone: (916) 716-7434

Date/Time of Occurrence: December 23, 2022 – 07:16 p.m.
Type of Incident: Residential Structure Fire
Location: 300 block of Montrose Dr, Folsom

RESIDENTIAL STRUCTURE FIRE

FOLSOM, CA- Firefighters from the Folsom Fire Department responded to reports of a garage fire in a residential home located on Montrose Drive in Folsom, Ca. A total of four engine companies, two truck companies, one paramedic ambulance, and two chief officers were dispatched to the scene. While units were enroute, Folsom Police officers on scene confirmed that there was a working fire.

Firefighters arrived at the dispatch address to find a working fire in a garage attached to a residential duplex. The crews quickly attacked the fire with hose streams while simultaneously checking the primary fire unit and the exposure fire unit for victims. A search for victims was completed in both units and the fire was extinguished within 7 minutes. The fire was limited to the garage and did not spread to the living spaces. Salvage and overhaul operations were conducted to save personal property.

A total of 6 people were displaced. The cause of the fire is currently under investigation by the Folsom Fire Department Investigation Unit. No injuries were reported.

Response Facts:

First in District:	38
First in Company:	Engine 38
Battalion:	15
Incident Commander:	Battalion Chief W. Nick Lawlor
Cause:	Under Investigation
Total Engine Companies	4
Total Truck Companies	2
Total Medic Units	1
Other Resources	El Dorado Hills Fire Dept., PG&E, SMUD
Total Command/Support Staff	2
Total Companies	7
Total Fire Fighters	24