



04-13-2023:

SUBJECT: Conditions of Approval: Tree Removal Permit #TREE23-04816

The City of Folsom Community Development Department (CDD) has reviewed an application for Tree Removal at **165 Woodview Drive**. The following trees are included in the scope of the application:

| Tag # | Common Name | Botanical Name | DSH (inches) | Applicable Finding(s) |
|-------|-------------------|--------------------------|--------------|---|
| NA | Interior Live Oak | <i>Quercus wislizeni</i> | 28 | Excessive lean and root crown interference to adjacent utility transformer. |

The CDD has made the decision to conditionally approve the application based on the following findings:

- The proposal is in conformance with the provisions of FMC 17.116.020(A)
 - The proposal is in conformance with the provisions of FMC 12.16.080(B)(1) – *The condition of the protected tree with respect to disease, danger of falling, or long-term health of the tree is such that the tree is not likely to survive.*
 - The proposal is in conformance with the provisions of FMC 12.16.080(B)(2) – *The condition or location of the protected tree or its roots is interfering with water, sewer, gas, electrical services, streets or sidewalks and is likely to cause a foreseeable interruption in service or function to the subject property or properties in the vicinity and there are no reasonable alternative measures to avoid, prevent or lessen the interference.*
1. The permittee shall defend, protect, indemnify, and hold harmless the City of Folsom and its officials, agents, and employees from any and all claims, demands, suits, causes of action, damages, costs, expenses, losses, or liability, in law or in equity, of every kind and nature whatsoever arising out of or in connection with the issuance of the Tree Permit or the permittee's work performed under the Tree Permit.

The decision on this application is subject to a 10-calendar day appeal period which commences **04-14-2023** and extends through **04-24-2023**. Any party dissatisfied with the determination on this application may file an appeal to the CDD Director. Once issued, the tree removal permit is non-transferable. Should you have any questions regarding this letter, please do not hesitate to call me at (916) 461-6213 or email me at anunez@folsom.ca.us.

Sincerely,

Jim Schubert
Assistant City Arborist