The City of Folsom Master Tree List establishes the approved tree species that shall be planted to fulfill Street Tree and Parking lot Shading Tree Requirements for new developments and tree replacement projects. Existing trees not included in this list shall still qualify as Protected Trees if their location satisfies Street Tree and/or Parking Lot Shading Tree requirements and also if their size meets the threshold for *Heritage* status as outlined in the Tree Preservation Ordinance and Zoning Code.

This is not an exhaustive list and the information herein is subject to change from time to time as knowledge is gained on existing species and new varieties are cultivated. Some species that may perform well have been purposefully omitted due to growth habits or other specific cultural requirements; however, use of excluded varieties may be approved by the City Arborist on a case by case basis.

The species listed herein perform well under varying growing conditions and are suitable as shade trees under most, but not all circumstances. Species and cultivar preferences will vary based on soil, sun exposure, available planting space, and micro-climate. Tree crown height and spread as listed are approximate and may vary based on climate, growing conditions, and cultivars or varieties.

As examples, 'October Glory' red maple will grow to 40 tall and 30 feet wide. In contrast, 'Bowhall' red maple will grow to the same height, but only 15 feet wide. Neither will tolerate drought conditions. 'Hopi' crape myrtle will grow to 10 feet tall with a low and rounded shape, 'Watermelon Red' to over 20 feet with an upright form. Both of these will tolerate drier soil conditions. Japanese black pine may attain a height of 60 to 80 feet in the San Francisco Bay Area but will seldom exceed 30 feet in the Sacramento Valley.

Unless otherwise approved by the City Arborist, selection of Street Tree and Parking Lot Shading Tree species shall be in accordance with the species listed below. Choose trees carefully and with purpose. Prune to train trees for strong structure early on when trees are young and growing rapidly. These efforts will result in long-lived, healthy and structurally sound trees. The primary reasons for most tree removals are improper species selection, lack of space above and below ground, and poor early care.

Comme	n hane Botanical h	enne h	Mature Heik	the canopy due salesd	anopy shape	tiduous fye	or Hereen Stree	FTER?	Utility F	wucols Rati	Howers	FallColor Root	Danage tial	on Partet	uton to take the set of the set o
Purple Leaf Acacia	Acacia baileyana 'Purpurea'	20	20	Spreading	E	~	✓	✓	VL	Yellow	N/A	Low	6'	5'	Good drought tolerant option for small spaces. Showy flowers emerge through spring
River Wattle	Acacia cognata	20-25	15-25		E	~	✓	✓	М	Yellow	N/A	Low	6'	5'	Graceful form with drooping branches. Requires a bit more water than some other Acacia species.
Pineapple Guava	Acca sellowiana	20-25	20-25	Full- crowned	E	~		✓	L	Pink	N/A	Low	7'	5'	Attractive bark, small stature. Must be in standard form to qualify as a street tree.
Trident Maple	Acer buergerianum	20-25	20-25	Full- crowned	D	~	✓	~	М	N/A	Orange, gold	Low	7'	5'	Attractive bark, small stature
Hedge Maple	Acer campestre	15-25	15-25	Spreading	D	~		~	М	N/A	Yellow	Low	6'	5'	Dense and compact
Paperbark Maple	Acer griseum	25-30	20-25	Oval	D	~	✓	✓	М	N/A	Orange, gold	Low	7'	5'	Striking red, papery bark. Intolerant of drought conditions.
Japanese Maple (select cultivars)	Acer palmatum	15-25	15-25	Spreading	D	~		~	М	N/A	Red, orange, yellow	Low	6'	5'	Best in afternoon shade, but a few varieties can handle full sun. Only varieties that attain a minimum height of 15' will be accepted as a Street Tree. Standard form only.
Red Maple (many cultivars)	Acer rubrum	40-50	25-35	Full- crowned	D	~	\checkmark		Μ	N/A	Orange- red	Low	8'	6'	Form varies with cultivar, provide good drainage. 'Bowhall' has a columnar form with a 15' canopy spread.

Common	Hane Botanicalt	ame	Mature Heik	nt canopy d	anopy shape	iduous,	or Inteen Stree	Tree?	Joi Tree	hendry Rath	Re Howers	FallColor	Danage tial	In Partet	o ^{istante} ane pariet not ^{hateatrat} Remarks
Comm	Botan		Matur Mat	^{UI} 51 ()	anot Dec	SIL ENE	stre	Parkins	Utility	WICC	ALC	Fair Root	POT Minim	Minimut	without Remarks
Amur Maple	Acer tataricum ginnala	20-25	20-25	Spreading	D	~	√	✓	M	N/A	Red	Low	7'	5'	Winter seeds hold for birds
Shantung Maple	Acer truncatum	20-30	20-30	Vase	D	✓	\checkmark	✓	М	N/A	Orange red	Low	7'	5'	Good lawn tree, dense crown, similar to Japanese maple but more sun tolerant
California Buckeye	Aesculus califonica	10-25	20-30	Spreading	D	✓		✓	VL	White	Yellow	Low	7'	5'	Striking in age, summer deciduous, native to our region
Red Horsechestnut	Aesculus x carnea (including 'Briotii' and 'O'Neill Red')	35-50	35-50	Spreading	D	~	✓		М	Bright red	Yellow	Low	7'	6'	Striking in bloom
Beefwood	Allocasuarina stricta (verticullata)	25-35	25-35	Pyramidal	E	~	✓		L	N/A	N/A	Moderate	7'	6'	Good screening, drought tolerant
Strawberry Tree 'Marina'	Arbutus 'Marina'	40-50	30-40	Spreading	E	~	\checkmark		L	Pink	N/A	Low	7'	6'	Small strawberry-like fruit attractive flowers
Strawberry Tree	Arbutus unedo	20-35	20-35	Spreading	E	✓	✓	✓	L	Light pink	N/A	Low	7'	5'	Smaller than 'Marina' interesting trunk structure, fruit attractive but can be messy. Must be standard form to qualify as a street tree.
River Birch 'Duraheat'	Betula nigra 'BNMTF'	30-40	25-35	Pyramidal	D	~			Н	N/A	Yellow	Moderate	8'	6'	Best birch for hot areas, others are marginal
Incense Cedar	Calocedrus decurrens	60-80	20-25	Pyramidal	E	~			М	N/A	N/A	Moderate	10'	10'	Best in full sun, good drainage, fragrant foliage and wood, attracts birds, native to California
European Hornbeam	Carpinus betulus	35-40	20-30	Pyramidal	D	✓	✓		М	N/A	Yellow	Low	7'	6'	Symmetrical crown, protect young bark from sunscald
Pecan	Carya illinoinensis	70-100	60-70	Spreading	D	✓	✓		М	N/A	Yellow	Moderate	12'	10'	Large shade tree suitable for large spaces. Edible fruit. Resistant to Armillaria
River She-Oak	Casuarina cunninghamiana	50-70	20-30	Pyramidal	E	✓	✓		L	N/A	N/A	Low	8'	8'	Good screening tree, allow plenty of space
Ray Hartman California Lilac	Ceanothus 'Ray Hartman'	20	15-20	Spreading	E	~		~	L	Purple	N/A	Low	6'	5'	Showy spring blooms. Nice specimen for small spaces and drought tolerant gardens. Must be standard form to qualify as a street tree.
Atlas (Blue) Cedar	Cedrus atlantica ('Glauca')	60-90	30-40	Pyramidal	E	~	✓		М	N/A	N/A	Moderate	10'	10'	Striking silhouette against the skyline, blue-gray foliage, large accent tree
Deodar Cedar	Cedrus deodara	60-80	30-40	Pyramidal	E	✓	✓		L	N/A	N/A	Moderate	10'	10'	Rapid growth when young, large tree for large spaces, fragrant foliage and wood

	Hame	ame	Heiß	nt anopy	Shape	-us	or een	Alee?	at Tree	endly path	80 01 ⁵	chot /	magetial	Planter	Distance statist
Common	Name Botanically		Mature Heigh	int canopy	anopy shape	ciduous fye	or entreen Stree	Patking	Utility F	wucols Ratif	Flowers	Fall Color Root	Danase tial	In Partet	oistance are name on the state to the state of the state
Common Hackberry	Celtis occidentalis	45-80	40-50	Full- crowned	D	~	~		L	N/A	Yellow	Moderate	10'	8'	Rugged shade tree, late leaf out in spring
Western Hackberry	Celtis laevigata (var. reticulata)	25-35	25-30	Full- crowned	D	✓	~		L	N/A	Yellow	Low	7'	6'	Rugged shade tree, native to California
Carob	Ceratonia siliqua	25-35	25-30	Spreading	E	✓	~	~	L	Small red	N/A	High	7'	8'	May surface root, allow plenty of room, litter from fruit pods on female trees used as a chocolate substitute
Eastern Redbud	Cercis canadensis	25-35	25-35	Spreading	D	~	~	~	М	rosy-pink	Yellow, russet	Low	7'	6'	Early bloomer, tree-like form, 'Forest Pansy' has purple foliage, attractive, good lawn tree
Western Redbud	Cercis occidentalis	10-20	10-20	Layered	D	~		~	VL	pink	Yellow, russet	Low	6'	5'	Generally more shrub-like, may be trained in to a small tree, very early bloom, native to our region. Must be standard form to qualify as a street tree.
Desert Willow 'Bubba'	Chilopsis linearis 'Bubba'	15-20	10-15	Layered	D	~		~	VL	vary	Yellow	Low	6'	5'	Fragrant flowers, 'Bubba is slightly smaller than the species, good under utility wires, drought resistant, bird friendly
Chinese Fringe Tree	Chionanthus retusus	10-20	10-12	Vase	D	~	~	~	М	white- fringe clusters	yellow	Low	6'	5'	Small flowering tree, small fruit, bird friendly
Chitalpa 'Morning Cloud' or 'Pink Dawn	Chitalpa tashkentensis'Morning Cloud' or 'Pink Dawn'	25-30	30	Vase	D	~	~	~	*M	Pink	Yellow	Low	7'	5'	Drought tolerant, fast, showy flowers
Camphor Tree	Cinnamomum camphora	50-65	50-60	Full- crowned	E	~	~		М	N/A	N/A	High	8'	10'	Fragrant foliage and wood, subject to Verticillium wilt, plant sparingly, allow plenty of space
Dogwood 'Eddie's White Wonder'	<i>Cornus nutalli x 'florida</i> Eddie's White Wonder'	20-40	15-45	Spreading	D	~		~	М	White, pink, rose	Red	Low	7'	6'	Usually small, good drainage, best in partial shade and moist soil, hybrid between Eastern and Western dogwoods
Lemon-Scented Gum	Corymbia citriodora	80	80	Full- crowned	E	~	~		L	White	N/A	Moderate	12'	10'	Very attractive mottled bark that sheds to reveal a smooth trunk varying in color from white to pale pink and yellow. Leaves are aromatic when crushed
Smoke Tree	Cotinus coggygria	10-15	15-18	Spreading	D	~		~	L	Fuzzy pink pendulous clusters		Low	6'	5'	Typically multi-stem. Must be standard form to qualify as a street tree.
Smooth Arizona Cypress	Cupressus (Hesperocyparis) arizonica var. glabra	40-50	20	Pyramidal	E	~	\checkmark		VL	N/A	N/A	Low	7'	6'	Seedlings vary, rugged, tough tree, good screen, 'Chaparral" grows to only 15 ft.
Bronze Loquat	Eriobotrya deflexa	15-20	15-20	Vase	E	~	~	~	М	Creamy white	N/A	Low	6'	5'	Good small evergreen tree, some litter from summer fruit
Red Flowering Gum	Eucalyptus ficifolia	45	30-50	Spreading	E	~	~		L	Red	N/A	Moderate	7'	8'	Very showy clusters of bright red flowers. A good evergreen specimen for medium spaces.

Common	Hame Boanical W	ame	Asture Heigh	the canopy of	anopy Shape	tiduous fye	or Hereen Stree	Fire?	Lot Tree	iendr? sain	B HOWETS	FallColor	Danase nial	on Plantest Million Million	nterester barber wittent the Remarks
Comit	Botan		Natu Mat	⁰¹ - 2 ()	and. De		STP	Patkitt	Utility	WUC	¢ /	For Root	PC Minim	Minimutro	w ^{itterff} Remarks
Omeo Gum	Eucalyptus neglecta	60	50	Irregular	E	~	✓		М	White	N/A	Moderate	8'	8'	Fast growing evergreen. Leaves emerge rounded, slowly elongating in maturity. Flowers not showy, fragrant foliage
Peppermint Gum	Eucalyptus nicholii	40-50	15-40	Weeping	E	~	✓	~	L	White	N/A	Moderate	8'	8'	Flowers not showy, fragrant foliage
Platypus Gum	Eucalypts platypus	40	25-35	Spreading	E	~	~		L	Green or Red	N/A	Low	7'	6'	Good moderate sized evergreen with fragrant flowers. Attracts hummingbirds.
Silver Dollar Gum	Eucalyptus polyanthemos	30-75	15-45	Spreading	E	~	✓		L	White	N/A	Moderate	8'	10'	Flowers not showy, fragrant foliage, good screen
Red Ironbark	Eucalyptus sideroxylon	30-90	30-60	Vase	E	~	~		L	Fuzzy pink pendulous clusters	N/A	High	8'	10'	Usually on the smaller side in our area, red to black furrowed bark
Hardy Rubber Tree	Eucommia ulmoides	40-60	30-40	Spreading	D	~	~		M*	N/A	brown	Moderate	8'	8'	Good street tree
Autumn Ash (cultivars)	Fraxinus americana ('Autumn Purple', Autumn Applause')	80	50	Spreading	D	~	~		М	N/A	purple- bronze	High	10'	10'	Fast growing, excellent fall color, watch for borers, 'Autumn Purple' is a favorite
Australian Willow	Geijera parvifolia	25-30	20	Weeping	E	~	~		М	White	N/A	Low	6'	5'	Non-invasive roots, can be litter-prone, fire-resistant
Ginkgo (Male, grafted)	Ginkgo biloba 'Autumn Gold', 'Princeton Sentry', 'Saratoga')	25-50	25-35	Spreading	D	~	✓		М	N/A	golden	Moderate	7'	8'	Plant only "male" trees to avoid noxious fruit, 'Princeton Sentry' maintains central leader best, more narrow form, beautiful lawn or street tree
Kentucky Coffee Tree	Gymnocladus dioica	60-100	45-50	Full- crowned	D	~	~		М	N/A	yellow	Moderate	10'	10'	Adaptable to poor soils, litter from dry seed pods
Carolina Silver Bell/Snow Drop Tree	Halesia carolina	30-40	15-30	Spreading	D	~	✓	~	M*	White	yellow	Low	7'	6'	Usually on the small side, flowers attractive from below crown
Wilson Holly	<i>llex x altaclerensis</i> 'Wilsonii'	15-20	15-25	Full- crowned	E	~	✓	✓	М	White	N/A	Low	6'	5'	Usually a large shrub, easily trained to a small tree, bright red berries, flowers inconspicuous
Chinese Flame Tree	Koelreuteria bipinnata	20-40	15-30	Full- crowned	D	~	~	~	М	Yellow	yellow	Low	7'	6'	Sometimes called Chinese Lantern, showy summer bloom, pink paper-lantern like fruit capsules in fall
Goldenrain Tree	Koelreuteria paniculata	20-35	25-40	Spreading	D	~	✓		М	Yellow	Yellow	Low	7'	6'	Similar to the Chinese Flame but seed capsules are tan to brown
Crape Myrtle (and Japanese crape myrtle)	Lagerstroemia sp. (select cultivars and hybrids)	20	10	Vase	D	~	✓	✓	L	Varies with species	Golden yellow to red	Low	6'	5'	Profuse bloom May to November. Use tree forms only. Only varieties that attain a minimum height of 15' will be accepted as a Street Tree or Parking Lot Shading Tree


Common	Name Botonical W	ame	Asture Heik	ont canon de la ca	nopy shape	iduous fye	or Hereen Stree	FTIER?	Utility F	iendu? Rati	ne Flowers	Fallcolor	Janase hinini	In Partet	ntate for the state of the stat
COL	BOL		ALC NO				/	Par	JE	m		Ru	Mitt	Mint fr	with Remarks
Bay Laurel	Laurus nobilis	20-40	15-30	Spreading	E	~	~		L	White	N/A	Moderate	6'	6'	Inconspicuous flowers, aromatic foliage used for cooking, sometimes shrubby, fast growing, allow space
Tulip Poplar	Liriodendron tulipifera	60-80	40	Pyramidal	D	~	✓		М	Light yellow and	Yellow and gold	Moderate	10'	10'	Very large tree, allow plenty of space, aphid may cause dripping
Southern Magnolia	Magnolia grandiflora (and select cultivars)	60-80	50-60	Full- crowned	E	~	~		Μ	White	N/A	High	10'	12'	Can be root invasive, allow space, litter-prone but beautiful summer blossoms
Dwarf Southern Magnolia	Magnolia grandiflora 'Little Gem' and St. Mary'	15-25	10-20	Full- crowned	E	~		~	М	White	N/A	Moderate	6'	6'	Same beautiful summer blossoms in a smaller framed tree
Saucer Magnolia	Magnolia x soulangeana (and cultivars)	20-25	15-20	Vase	D	~	~	✓	М	Pink- white- purple	Yellow to russet	Low	6'	5'	Many hybrids with a broad range of burgundy, pink and while blossoms, blooms before leaves emerge, usually multi-trunked
Osage Orange/Hedge Apple 'Whitefield'	Maclura pomifera	40-50	30-40	Spreading	D	~	~		*L	N/A	yellow	Moderate	7'	8'	Species is armored with spines, 'Whiteshield' is thornless male, fruitless
Flowering Crabapple	Malus sp.	12-25	18-30	Spreading	D	~	~	✓	Μ	White, pink, red, rose	Red to bronze	Low	6'	5'	Many cultivars with differing forms, subject to fireblight, select disease-resistant varieties, one of the best spring flowering trees if well cared for, ask for RightRoot ™
Mayten	Maytenus boaria	30-50	20-30	Weeping	E	~	~		М	N/A	N/A	Moderate	7'	8'	Needs well drained soil to avoid surface rooting, full sun
Black Tea Tree	Melaleuca lanceolata	20-30	15-25	Layered	E	~	~	~	L	Creamy white	N/A	Moderate	7'	6'	Interesting contorted trunk forms with age, fragrant foliage and wood, striking bloom
Dawn Redwood	Metasequoia glyptostroboides	70-90	12-20	Pyramidal	D	~	~		Н	N/A	Yellow to russet	Moderate	8'	10'	A deciduous conifer, can be fast growing with adequate water, striking silhouette both in and out of leaf, allow plenty of space
Oleander	Nerium oleander	15-20	15-25	Full- crowned	E	~		~	L	White, pink, red, rose	N/A	Low	6'	5'	Tough, drougt tolerant tree for small spaces. Blooms throughout summer. Foliage is toxic. Must be standard form to qualify as a street tree.
Tupelo / Sour Gum	Nyssa sylvatica	30-50	20-30	Pyramidal	D	~	✓		М	N/A	Scarlet	Low	7'	6'	Female trees may produce small fruit, tolerates a wide range of soil conditions, prune when young to thin closely spaced branches
Olive	<i>Olea europaea</i> (various cultivars w/ & w/o fruit)	25-35	25-30	Layered	E	~	✓	✓	VL	White	N/A	Moderate	7'	6'	Inconspicuous flowers, edible fruit can be messy, 'Mission' produces good quality fruit, 'Swan Hill' and 'Majestic Beauty' are mostly fruitless
Desert Ironwood	Olneya tesota	15-30	15-30	Irregular	E	~	✓	~	L*	Lavender, pink	N/A	Low	6'	5'	Tough tree native to the Sonoran desert, extremely heavy durable wood, good summer color, keep it on the dry side
Sweet Olive	Osmanthus fragrans	10-20	6-8	Vase	E	~	~	~	Μ	White	N/A	Low	6'	5'	A large shrub easily trained to a small tree form, fragrant white blossoms spring and summer

Common	Name Botanical h	lame	Asture Heik	nt canoni d	anopy shape	tiduous,	or Lifteen Stree	a Tree?	United Trees	witch Spatio	Howers	FallColor	Danase nial	n Partet	Distance are barret on harder toot barret witton toot barret witton Remarks
COL	Bot		Ac No				/	831.	JEL	MC		RU	Min	Mint. fr	with Remarks
American Hop- hornbeam	Ostrya virginiana	25-45	20-30	Spreading	D	~	~		H*	N/A	Yellow, russet	Low	7'	6'	Graceful, light shade, better in moist soils, winged seeds attractive
Sourwood	Oxydendron arboreum	40-60	25-40	Pyramidal	D	~	~		М	Creamy white	Orange to red	Moderate	8'	8'	Excellent fall color, not a common tree in the region
Desert Museum' Palo Verde'	<i>Parkinsonia '</i> Desert Museum'	15-20	20-25	Layered	D	~	~	~	VL	Bright yellow	Yellow	Low	6'	5'	Top choice for dry garden themes, 'Desert Museum' is thornless
Blue Palo Verde	Parkinsonia floridum	20-25	15-20	Spreading	D	~		~	VL	Bright yellow	Yellow	Low	6'	5'	Top choice for dry garden themes, small thorns offer protection for birds
Colorado (Blue) Spruce	Picea pungens (glauca)	30-60	10-20	Pyramidal	E	~			М	N/A	N/A	Moderate	7'	8'	Green to bluish needle color, multiple cultivars offer varying depth of color, slow grower, specimen tree
Canary Island Pine	Pinus canariensis	30-60	20-30	Pyramidal	E	~	~		L	N/A	N/A	Moderate	8'	8'	Long needle, graceful pine, almost a weeping appearance, usually not over 40 feet in our area
Japanese Red Pine	Pinus densiflora	30-50	30-40	Pyramidal	E	~	~		М	N/A	N/A	Moderate	8'	8'	Tall and spreading, dense crown, red/orange bark
Afghan (Mondell or Calabrian) Pine	Pinus eldarica	30-80	15-25	Pyramidal	E	~	~		L	N/A	N/A	Moderate	8'	10'	Very similar to Allepo pine, loose, thinner, spreading crown than most pines
Aleppo Pine	Pinus halepensis	30-60	20-40	Pyramidal	E	~	~		L	N/A	N/A	Moderate	8'	8'	Similar to Aleppo pine, loose, thinner, spreading crown than most pines, cones persistent
Austrian Black Pine	Pinus nigra	40-60	25-35	Pyramidal	E	~	~		М	N/A	N/A	Moderate	8'	8'	One of the better pines for urban settings, dark green erect growth
Italian Stone Pine	Pinus pinea	40-80	40-60	Full- crowned	E	~			L	N/A	N/A	Moderate	10'	10'	Very large tree suitable for parks or large spaces, dense crown, often multi-trunked, source of pine nuts
Ponderosa Pine	Pinus ponderosa	80-100	25-30	Pyramidal	E	~			М	N/A	N/A	Moderate	12'	10'	Very large California native tree suitable for parks and large spaces. Bark takes on an interesting jigsaw puzzle pattern in older trees.
Scotch Pine	Pinus sylvestris	30-70	20-35	Pyramidal	E	~	~		М	N/A	N/A	Moderate	8'	10'	Fast growing when young, short needles, dark green foliage, more round topped with age
Japanese Black Pine	Pinus thunbergii	25-30	35-40	Layered	E	~	~		М	N/A	N/A	Moderate	7'	6'	Bright green needles, common selection in Asian themed gardens due to interesting branching pattern
Chinese Pistache 'Keith Davey' or 'x Red Push'	Pistacia chinensis	25-35	25-35	Spreading	D	~	~		L	N/A	Orange to red to	Low	7'	6'	Keith Davey' reliably male and seedless, 'Red Push' hybrid leafs out red in spring, turning to green, a popular selection with outstanding fall color

Commo	nume Beanically	ame	Mature Heigh	ont canopy de la contrata de la cont	shopy shape	tiduous,	or Hereen Stree	Tree?	Utility F	witch spatio	B HOWERS	FallColor	Danase nial	n Partet Minimur	bistone parties on tables too barries without too barries Remarks
	80		13 M.					~	\sum	$\underline{\Sigma}$			Mr.	Min fr	w ^{itt} Remarks
London Plane 'Columbia' and 'Exclamation'	Plantanus x hispanica 'Columbia' and 'Exclamation'	40-60	40-60	Full- crowned	D	~	~		М	N/A	Yellow to gold	Moderate	8'	8'	Generally disease resistant, but surface roots are common, These are over-planted, use sparingly and allow plenty of space
American Sycamore	Platanus occidentalis	70-90	50-70	Full- crowned	D	~	~		*M	N/A	Yellow to gold	Moderate	12'	12'	Fast growing, may get anthracnose, powdery mildew, good for moist locations, good for large areas only
Fern Pine	Podocarpus gracilior	30-50	15-25	Oval	E	~	~		М	N/A	N/A	Low	7'	6'	Moderate growth rate. Works well as a screening tree due to its columnar growth habit
Phoenix (thornless) Mesquite	Prosopis hybrid 'Phoenix'	30	30-35	Narrow vase	D	~	~	✓	L	Yellow	Yellow	Moderate	7'	6'	Phoenix' is thornless, tough desert tree for dry landscapes, usually on the smaller side of the size range
Flowering Cherry (many cultivars)	Prunus sp.	20-25	20-25	Spreading	D	~		~	М	White, pink, rose	Yellow to gold	Low	6'	5'	Many cultivars with varying form including weeping, beautiful spring bloom, trunk and branches sunburn easily, maintain leafy crown
Purple Leaf Plum (fruitless)	Prunus x blierinana or cerasifera 'Krauter Vesuvius'	12-15	12-15	Spreading	D	~	~	✓	М	Light pink	Red to bronze	Low	6'	5'	Only mostly fruitless cultivars, 'x blieriana' suitable under utilities, select "high-head" trees
Flowering Pear 'Chastity'	Pyrus hybrid	35	25	Layered	D	~	~		М	White	Red to scarlet	Moderate	7'	6'	The only non-invasive cultivar, others highly invasive in wetlands, resistant to fireblight, very popular species but very over-utilized
Evergreen Pear	Pyrus kawakamii	15-30	15-30	Layered	E	~	~	✓	М	White	Yellow	Low	7'	5'	Early spring bloom, interesting form, partially deciduous, watch for fireblight and leaf spot
Coast Live Oak	Quercus agrifolia	30-60	30-60	Full- crowned	E	~	~		VL	N/A	N/A	Low	8'	6'	Native oak that does well in our area, wider than tall at maturity, deep green foliage contrasts with silvery bark, great for wildlife
Chisos Oak	Quercus canbyi	50	40	Full- crowned	D	~	~		L	N/A	N/A	Low			Semi-evergreen with arching, spreading habit.
Blue Oak	Quercus douglasii	50-65	40-50	Spreading	D	~	~		VL	N/A	Yellow to gold	Low	8'	6'	The most common native oak in our area, prefers dry conditions once established, picky about disturbance as established natural trees
Holly Oak	Quercus ilex	30-60	30-60	Spreading	E	~	✓		L	N/A	N/A	Low	8'	6'	Popular choice for an evergreen oak, dense crown, silvery underside to the leaves, usually on the smaller side of the size range
Valley Oak	Quercus lobata	50-70	50-70	Spreading	D	~	~		L	N/A	Yellow to gold	Moderate	10'	8'	Classic native oak of California postcards and photos, large spreading crown, will tolerate some irrigation but not constant moisture, allow plenty of space
Burr Oak (JFS-KW3)	Quercus macrocarpa'Urban Pinnacle'	40-60	40-50	Full- crowned	D	~			М	N/A	Yellow to russet	Moderate	8'	8'	Fast grower, tolerates wide range of soils, huge 1-2 " acorns, 'Urban Pinnacle' taller than wide, much smaller acorns, a top performer for large spaces
Willow Oak	Quercus phellos	50-90	30-50	Full- crowned	D	~	~		M*	N/A	Yellow	Moderate	10'	10'	Fine-textured, almost weeping appearance, prefers deep well drained soil, allow space

Common	Name Botanically	ame	Mature Heik	nt canopy de la contrat	anopy shape	tiduous,	or Hereen Stree	Tree?	Joi Tree?	wurch Spatin	Howers	Falcolor	Danage potential	on Plantes	Distance marks
English Oak (many cultivars)	Quercus robur	40-70	40-70	Full- crowned	D	✓	✓	<u> </u>	м	N/A	Yellow to orange	Moderate	10'	10'	Similar to valley oak, but usually much smaller, not a native, many forms make this a top choice for urban settings
Red Oak	Quercus rubra	50-80	60-70	Full- crowned	D	~	\checkmark		М	N/A	Red	High	10'	10'	Retains dry fall leaves throughout winter, aphids are common, needs space for roots, best in well drained loamy soils
Shumard Oak	Quercus shumardii	40-60	30-40	Full- crowned	D	~	~		м	N/A	red	Moderate	8'	8'	Similar to red, scarlet and pin oaks, may retain fall leaves until spring, will tolerate wet areas
Cork Oak	Quercus suber	30-60	30-60	Full- crowned	E	~	~		L	N/A	N/A	Moderate	8'	8'	Picturesque form, thick, corky, deeply furrowed bark, Mediterranean origin, the original source of corks is the bark itself, good choice for our area, give it space to
Southern Live Oak	Quercus virginiana	40-80	60-100	Spreading	E	~	~		М	N/A	N/A	Moderate	12'	10'	On the smaller side of the size range in our area, evergreen or partly deciduous, tolerates urban sites, gnarled twisting trunks with age
Interior Live Oak	Quercus wislizenii	30-70	40-80	Spreading	E	~			VL	N/A	N/A	Moderate	10'	8'	Commonly multi-trunked, a native of the region, dense crown, leaves smooth or prickly
California Pepper Tree	Schinus molle	25-40	25-40	Weeping	E	~	~		L	N/A	N/A	High	7'	8'	Can be litter-prone, berries may be toxic to those with nut allergies, roots are intrusive, allow plenty of space
African Sumac	Searsia lancea	20-30	20-35	Spreading	E	~	\checkmark	✓	L	N/A	N/A	Low	7'	5'	Small evergreen, good screening tree, a little litter- prone, but graceful form and compact size make it a popular choice
Japanese Pagoda Tree 'Regent'	Sophora japonica 'Regent' (Styphnolobium japonicum)	40-50	30-40	Spreading	D	~	~		L	Yellow or white	Yellow	Low	7'	6'	Produces some litter from seed pods, 'Regent' is a faste grower, more reliable in form than the parent, prefers good drainage
Texas Mountain Laurel (Mescal Bean)	Sophora scundiflora	15-20	10-15	Irregular	E	~	~	✓	L	Violet blue	N/A	Low	6'	5'	Good under utilities, dry themed landscapes, seeds are toxic, prefers drier locations
Japanese Snowbell	Styrax japonicus	20-30	15-20	Vase	D	~	~	✓	м	White	Yellow	Low	6'	5'	Prefers some afternoon shade, keep slightly moist, beautiful pendulous white bloom, fragrant, followed by small berries
Fragrant Snowbell	Styrax obassia	20-30	15-20	Vase	D	~	~	~	M*	White with yellow	Yellow to gold	Low	6'	5'	Prefers some afternoon shade, keep slightly moist, beautiful pendulous white bloom with yellow centers, fragrant, followed by small berries
Japanese Tree Lilac 'Ivory Silk'	<i>Syringa reticulata</i> 'Ivory Silk'	20-25	20	Vase	D	~	~	~	м	Creamy white	Yellow	Low	6'	5'	Prolific summer bloom, fragrant, compact form, good for urban sites with limited space
Western Red Cedar	Thuja plicata	50-70	15-25	Pyramidal	E	~	\checkmark		М	N/A	N/A	Moderate	8'	10'	Native conifer of the NW coast. Prefers slightly moist soil, fragrant foliage and wood. Dense crown, retain lower branches for best appearance.
American Linden	Tilia americana	40-65	20-25	Full- crowned	D	~	~		М	Light Yellow	Yellow	Moderate	8'	8'	Prefers moist soil, a favorite of bees and birds, good lawn or shade tree. 'Redmond' cultivar is larger, not as good in hot inland areas

Connor	Name Botanically	ane	Asture Heik	the spread	anopyshape De	ciduous,	or Heren Streen	Parking	Utility F	wulcols Rath	B HOWERS	Fall Color Root	Danase tial	n Partes Wath und	heane are haries
Little-Leaf Linden	Tilia cordata	30-50	15-30	Pyramidal	D	~	✓		М	Light yellow	Yellow	Moderate	7'	8'	Prefers moist and well drained soils, smaller in leaf that American linden, 'Summer Sprite' is a smaller cultivar
American/Hybrid Elm (hybrids only)	Ulmus sp. (including 'Accolade', 'Frontier')	40-60	20-40	Vase	D	~	~		М	N/A	Yellow, red	Moderate	7'	8'	Dutch Elm Disease (DED) & Elm Leaf Beetle (ELB) resistant. Steeped in the history of the Sacramento Valley, allow plenty of space.
Chinese (Lacebark) Elm	Ulmus parvifolia (including the cultivar 'Allee')	50-70	50-70	Vase	D	~	~		М	N/A	Yellow to gold	High	8'	10'	Subject to DED & ELB but not commonly affected, large, spreading and graceful form, emphasize early training for best form in age
Chinese (Lacebark) Elm cultivars	Ulmus parvifolia 'Drake', 'Dynasty', 'Frontier', & 'True Green'	35-50	30-50	Vase	D	~	✓		м	N/A	Yellow to gold	High	7'	8'	Subject to DED & ELB but not commonly affected, large, spreading and graceful form, emphasize early structural pruning for best form in age.
Emerald Sunshine Elm	Ulmus propinqua 'JFS- Bieberich'	30-35	20-25	Vase	D	~	~		М	N/A	Yellow to russet	Moderate	7'	6'	Dutch Elm Disease (DED) & Elm Leaf Beetle (ELB) resistant.
Prospetctor Elm	Ulmus wilsoniana 'Prospector'	40	30	Vase	D	~	✓		м	N/A	Yellow to gold	Moderate	7'	6'	New leaves emerge orange in color. Good medium sized street tree. Resistant to DED and ELB.
Chaste Tree	Vitex agnus-castus	15-25	15-25	Spreading	D	~	~	\checkmark	L	Lavender to blue	Yellow	Low	6'	5'	Multi or single trunk, very hardy, fragrant foliage, blooms summer to fall
Zelkova (and select cultivars)	Zelkova serrata (including 'Drake', 'Green Vase', and 'Village Green')	50-65	50-65	Vase	D	~	~		М	N/A	Yelllow to gold to red	Moderate	8'	8'	Urban friendly, excellent fall color russet to gold to red, broad and spreading.
Zelkova 'Musashino'	Zelkova serrata 'Musashino'	40-45	10-15	Columnar	D	~	\checkmark		М	N/A	Yelllow to gold to red	Moderate	6'	6'	Urban friendly and excellent fall color russet to gold to red. Canopy shape is narrow and columnar.
Dwarf Zelkova	Zelkova serrata 'City Sprite'	20-25	15-18	Vase	D	~	✓	~	м	N/A	Yelllow to gold to red	Moderate	6'	5'	Urban friendly, excellent fall color russet to gold to red. Great accent tree for use under utility lines.



Full-crowned Oval Pyramidal Spreading Weeping Columnar Irregular Layered Vase

TREES NOT ELIGIBLE FOR HERITAGE STATUS

The following tree species are exempt from obtaining a status of "Heritage Tree", as defined in Folsom Municipal Code 12.16.020 - Tree Preservation, due to rapid growth rates, root intrusion, invasiveness, or other objectionable characteristics. Although the Folsom Master Tree List is subject to change from time to time as knowledge is gained on appropriate species selection, the following list of species is fixed and shall not incur changes unless otherwise approved by City Council:

Common Name	Botanical Name	Characteristics
Poplars	Populus sp	Very high water needs. Weak limb attachments make these trees susceptible to limb failure. Aggressive, far-reaching surface roots are common.
Chinese Tree of Heaven	Ailanthus altissima	Extremely invasive.
Mimosa/Silk Tree	Albizia julibrissin	Invasive. Weak wood and limb attachments are common, making this species prove to limb failure.
Palms (all)	Arecaceae	Biologically, these plants are not trees and do not provide the same level of benefit as true trees.
Eucalyptus	Eucalyptus sp.	Prone to limb failure in age. Mature size may not be suitable for some urban settings. High flammability.
Modesto Ash	Fraxinus arizonica 'Modesto'	Poor structure with weak limb attachments result in high likelihood of limb failure in age. Disease-prone.
Liquidambar	Liquidambar styracilfua	Weak branching strength. Aggressive, far-reaching surface roots are common.
Mulberry	Morus sp	Weak branching strength. Aggressive, far-reaching surface roots are common.
Foothill Pine	Pinus sabiniana	Weak branching strength. Large pine cones can be injurious to people and property.
Flowering Pear	Pyrus calleryana	Weak limb attachments are characteristic of this species, resulting in a high likelihood of limb failure. Invasive.
Willows	Salix sp	Very high water needs. Aggressive, far-reaching surface roots are common.
Coast Redwood	Sequoia sempervirens	Very high water needs. Aggressive, far-reaching surface roots are common.

REFERENCES

Best Management Practices. *Companion Publication to the ANSI A300: Tree, Shrub, and Other Woody Plant Maintenance*. Champaign, IL: The International Society of Arboriculture.

Brenzel, Kathleen Norris. The New Sunset Western Garden Book. 9th ed: TI Inc. Books, 7 Feb. 2018

California Invasive Plant Council. Cal-IPC. 22 May. 2020: https://www.cal-ipc.org/

SelecTree. A Tree Selection Guide. Urban Forest Ecosystems Institute. 28 May. 2020: https://selectree.calpoly.edu/