



SECTION 8 -- BROADLEAF-OPPOSITE-

COMPOUND-PINNATE

Acacia baileyana		Bailey Acacia
Acer negundo		California Box Elder
Fraxinus americana 'Autumn Purple'		Autumn Purple White Ash
Fraxinus angustifolia oxycarpa 'Raywood'		Raywood Ash
Fraxinus latifolia		Oregon Ash
Fraxinus velutina 'Modesto'		Modesto Ash



COMPOUND PINNATE

COMMON	NOT SEEN
RARE BUT FOUND	NOT RECOMMENDED

Bailey Acacia		<i>Acacia baileyana</i>	
BROADLEAF	OPPOSITE	COMPOUND	PINNATE EVERGREEN
Average Height: 20' - 30' Average Canopy: 20' - 40' Shape: Broad rounded Leaf: Soft blue-green Flowers: Small yellow in February Fruit/Seed: 3" X ½" Pod with 5 - 7 brown, oval seeds Bark: Greenish, smooth Other Characteristics: Common as multi-stem, bluish-gray leaves			
			
			

California Box Elder		BROADLEAF	
OPPOSITE		Other Characteristics: In the Maple family, but with compound leaves and winged maple like seeds. Has soft wood that commonly has decay.	
COMPOUND		Flakey	
PINNATE		Other Characteristics: In the Maple family, but with compound leaves and winged maple like seeds. Has soft wood that commonly has decay.	
DECIDUOUS		Flakey	
<i>Acer negundo</i>		Flakey	

		
---	--	---

Autumn Purple White Ash		Fraxinus americana 'Autumn Purple'	
BROADLEAF	OPPOSITE	COMPOUND	PINNATE DECIDUOUS
Average Height: 80' Average Canopy: 50' Shape: Broad rounded Leaf: Purple-bronze in fall Flowers: Inconspicuous Fruit/Seed: Seedless Bark: Smooth gray turning furrowed with age Other Characteristics: Long lasting fall color with no seed mess			
			
			

Oregon Ash		<i>Fraxinus latifolia</i>	
BROADLEAF	OPPOSITE	COMPOUND	PINNATE DECIDUOUS
Average Height: 40' – 80' Average Canopy: 30' – 50' Shape: Irregular Leaf: Yellow Flowers: Inconspicuous Fruit/Seed: Female: yes Male: no Bark: Smooth tan, dar and furrowed with age Other Characteristics: Usually only found as a native in a stream zone.			
			
			

Modesto Ash		<i>Fraxinus velutina</i> 'Modesto'	
BROADLEAF	OPPOSITE	COMPOUND	PINNATE DECIDUOUS
Average Height: 50' Average Canopy: 30' Shape: Vase Leaf: Yellow in fall Flowers: Inconspicuous Fruit/Seed: Seedless Bark: Tight gray ridges and furrows Other Characteristics: Usually has mistletoe and commonly topped (poor pruning practice), with heart rot and included bark...problem tree			
			
			